

## Glutathione S-Transferase, Recombinant

## **Product Information**

Cat#	NATE-1141
Abbr	GST, Recombinant
Alias	GST
Similar	Glutathione S-Transferase
Description	Glutathione S-transferases (GSTs), previously known as ligandins, comprise a family of eukaryotic and prokaryotic phase II metabolic isozymes best known for their ability to catalyze the conjugation of the reduced form of glutathione (GSH) to xenobiotic substrates for the purpose of detoxification. The GST family consists of three superfamilies:the cytosolic, mitochondrial, and microsomal—also known as MAPEG—proteins. Members of the GST superfamily are extremely diverse in amino acid sequence, and a large fraction of the sequences deposited in public databases are of unknown function. The Enzyme Function Initiative (EFI) is using GSTs as a model superfamily to identify new GST functions.
Applications	In the genetic engineering, GST is commonly used to construct high efficiency expression vectors, and thenco-expression with a number of difficult expression proteins as a molecular chaperone, finally achieving a soluble expression.
Appearance	White powder, lyophilized or colorless liquid
Form	Freeze dried powder
Enzyme Commission Number	EC 2.5.1.18
Activity	30 u/mg
Molecular Weight	About 26kDa (SDS-PAGE detection)
Purity	>90% (SDS-PAGE test)
	100% (020 1 / 102 100t)

Fax:1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA



## Glutathione S-Transferase, Recombinant

Buffer	PBS, PH7.0
Synonyms	Glutathione S-transferases; GSTs; GST; Glutathione S-alkenetransferase; Glutathione
	S-alkyltransferase; Glutathione S-aralkyltransferase; Glutathione S-aryltransferase;
	Glutathione S-epoxidetransferase; RX:Glutathione R-transferase; EC 2.5.1.18;
	50812-37-8

Fax:1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA